

SCREWDRIVER NON-SPARKING

EGA Master Non-Sparking Tools are the best alternative for non-sparking application purposes in potentially explosive environments. All tools are forged after casting to achieve the best quality in the market, both in mechanical properties and attractive finishing.

EGA Master manufactures a wide range of non-sparking tools among which you can find different models of screwdrivers.



SLOTTED



COD		Length	Shaft Diameter	Handle Length	Weight
Cu-Be	Al-Bron				
72258	72279	50	3	80	35
72259	72280				43
72260	72281				35
72261	72282	75	4	103	45
72262	72283				70
72263	72284	100	5	103	45
72264	72285				75
72265	72286				85
72266	72287	125	6	112	100
72267	72288				110
72268	72289	150	7	112	125
72269	72290				140
72270	72291	200	8	112	165
72271	72292	250	9		185
72272	72293	200	10	112	260
72273	72294	300			230
72274	72295	250	11	112	240
72275	72296	300			290
72276	72297	350			320
72277	72298	400	12	150	400
72278	72299	450	13		480

Cu-Be beryllium copper

Al-Bron aluminium bronze



ELECTRICIAN



COD					gr.
Cu-Be	Al-Bron				
71581	71588	50	3	75	50
71582	71589	100	4		70
71583	71590	150			80
72306	72308	100	5	95	100
72307	72309	200			200
71584	71591	100	6	105	100
71585	71592	150	8		200
71586	71593	200	10		300
71587	71594	300			



PHILIPS



COD					gr.
Cu-Be	Al-Bron				
72909	72910	PH-0	60	75	40
71595	71599	PH-1	80	95	50
71596	71600	PH-2	100		70
71597	71601	PH-3	150	105	80
71598	71602	PH-4	200		100



POZIDRIV



COD					gr.
Cu-Be	Al-Bron				
74336	74337	PZ-0	50	82	35
74347	74348	PZ-1	75	112	40
72247	72246	PZ-2	100		80
72249	72248	PZ-3	150	200	135
74365	74366	PZ-4	200		210



TORX



COD					gr.
Cu-Be	Al-Bron				
74367	74368	T 25	100	95	100



TAMPER TORX



COD					gr.
Cu-Be	Al-Bron				
74349	74350	TT 25	100	95	100

Cu-Be beryllium copper

Al-Bron aluminium bronze

HEXAGONAL SOCKET



COD		HEX			gr.
Cu-Be	Al-Bron				
73879	73880	6	90	100	85
73881	73882	8	100	110	100
73883	73884	10	110	120	140
73885	73886	13			180
73887	73888	16			220
73889	73890	17			230

SETS



COD Cu.Be: 76465
COD Al.Bron: 76466

6 PCS.

PCS.	Cu-Be	Al-Bron		
1	72258	72279	3x50	
	72263	72284	4x100	
	72264	72285	5x100	
	72269	72290	8x150	
	71595	71599	PH-1	
	71596	71600	PH-2	

COD Cu.Be: 76467
COD Al.Bron: 76468

6 PCS.

PCS.	Cu-Be	Al-Bron		
1	71581	71588	3x50	
	71582	71589	4x100	
	72306	72308	5x100	
	71585	71592	8x150	
	71595	71599	PH-1	
	71596	71600	PH-2	

COD Cu.Be: 76469
COD Al.Bron: 76470

8 PCS.

PCS.	Cu-Be	Al-Bron		
1	72258	72279	3x50	
	72263	72284	4x100	
	72264	72285	5x100	
	72265	72286	6x100	
	71595	71599	PH-1	
	71596	71600	PH-2	
	74347	74348	PZ-1	
	72247	72246	PZ-2	

COD Cu.Be: 76471
COD Al.Bron: 76472

8 PCS.

PCS.	Cu-Be	Al-Bron		
1	71581	71588	3x50	
	71582	71589	4x100	
	72306	72308	5x100	
	71584	71591	6x100	
	71595	71599	PH-1	
	71596	71600	PH-2	
	74347	74348	PZ-1	
	72247	72246	PZ-2	

OFFSET SCREWDRIVER



COD				gr.
Cu-Be	Al-Bron	mm		
72462	72463	72	6	25
72464	72465	125	8	50
72466	72467	195	10	125

1000V

1.000V
 IEC 900 resp.
 DIN EN 60 900



COD			gr.
Cu-Be	Al-Bron		
72225	72224	PH-0	50
72227	72226	4X100	60

Cu-Be beryllium copper

Al-Bron aluminium bronze